EAST SEARCH

4/17/2009

L#	Hits	Search String	Databases
S1	4	6,088,029.pn. or "5,684,945".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S2	5158	("dynamic system" or (process near2 "control system") or "control system") with (s	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S3	621	S2 and (system near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S4	221	S2 and (data near2 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S5	515	S2 and ((collect or collecting or collected) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S6	36	S2 and (collect or collecting or collected) with module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S7	25	S2 and (((collect or collecting or collected) near2 data) with (synchronize or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S8	574	S2 and ((display or displaying or displayed) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S9	2	S2 and (((display or displaying or displayed) near2 data) with (freeze or freezed or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S10	15	S2 and ((display or displaying or displayed) with (freeze or freezed or freezing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S11	139	S2 and (user with (view or viewed or viewing) with display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S12	79	S2 and (user with (manipulate or manipulated or manipulating or manipulation) wit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S13	1	S2 and ((suspend or suspending or suspended) with ((collect or collecting or colle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S14	3	S2 and (suspend or suspending or suspended) with (collect or collecting or collec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S15	29	S2 and (communicate or communicating or communicated) with data with module	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S16	126	S2 and ((review or reviewing or reviewed) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S17	262	S2 and (data with history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S18	7	S2 and (data with history with (parameter or variable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S19	1	S2 and (data with history with amount)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S20	1	S2 and (data with history with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S21	5	S2 and (memory near2 allocated with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S22	5	S2 and ((memory near2 allocated) with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S23	803	S2 and (data near2 (type or attribute or format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S24	15	S2 and ((circular or finite) near2 (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S25	2	S2 and (extension with (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S26	1	S2 and (data near2 (buffer or buffering or buffered) near2 mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S27	1	S2 and (((collect or collecting or collected) near2 data) with (scroll or scrolling or s	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S28	42	S2 and (data with (scroll or scrolling or scrolled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S29	3	S2 and ((track or tracking or tracked or display or displaying or displayed) with (tim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S30	1121	S2 and ((track or tracking or tracked or display or displaying or displayed) with tim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S31	235	S3 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S32	104	S2 and ((broadcast or broadcasting or broadcasted) with (data or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S33	10	S2 and ((trigger or triggering or triggered or event) with ((collect or collecting or co	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S34	9	S2 and ((start or starting or started) with ((collect or collecting or collected) near2 c	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S35	183	S2 and (simulation with (graphical or textual or "data flow" or "time based" or "even	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S36	150	S2 and ((MATLAB or JAVA or "c++" or "object oriented" or programming) with sim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S37	486	S2 and ((display or displaying or displayed) with (textual or graphical or "multi-dim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S38	230	S6 or S7 or S9 or S10 or S12 or S13 or S14 or S15 or S18 or S19 or S20 or S21 c	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S39	1428	S4 or S5 or S8 or S11 or S16 or S17 or S23 or S31 or S32 or S35 or S36 or S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S40	370	S3 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S41	79	S38 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S42	230	S38 or S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S43	521	S38 or S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S44	5158	("dynamic system" or (process near2 "control system") or "control system") with (s	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

S45	621	S44 and (system near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S46	221	S44 and (data near2 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S47	515	S44 and ((collect or collecting or collected) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S48	36	S44 and ((collect or collecting or collected) with module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S49	25	S44 and (((collect or collecting or collected) near2 data) with (synchronize or synch US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S50	574	S44 and ((display or displaying or displayed) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S51	2	S44 and (((display or displaying or displayed) near2 data) with (freeze or freezed o US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S52	15	S44 and ((display or displaying or displayed) with (freeze or freezed or freezing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S53	139	S44 and (user with (view or viewed or viewing) with display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S54	79	S44 and (user with (manipulate or manipulated or manipulating or manipulation) w US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S55	1	S44 and ((suspend or suspending or suspended) with ((collect or collecting or colle US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S56	3	S44 and ((suspend or suspending or suspended) with (collect or collecting or colle US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S57	29	S44 and ((communicate or communicating or communicated) with data with modu US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S58	126	S44 and ((review or reviewing or reviewed) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S59	262	S44 and (data with history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S60	7	S44 and (data with history with (parameter or variable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S61	1	S44 and (data with history with amount)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S62	1	S44 and (data with history with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S63	5	S44 and (memory near2 allocated with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S64	5	S44 and ((memory near2 allocated) with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S65	803	S44 and (data near2 (type or attribute or format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S66	15	S44 and ((circular or finite) near2 (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S67	2	S44 and (extension with (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S68	1	S44 and (data near2 (buffer or buffering or buffered) near2 mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S69	1	S44 and (((collect or collecting or collected) near2 data) with (scroll or scrolling or US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S70	42	S44 and (data with (scroll or scrolling or scrolled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S71	3	S44 and ((track or tracking or tracked or display or displaying or displayed) with (tr US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S72	1121	S44 and ((track or tracking or tracked or display or displaying or displayed) with tin US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S73	235	S45 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S74	104	S44 and (broadcast or broadcasting or broadcasted) with (data or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S75	10	S44 and ((trigger or triggering or triggered or event) with ((collect or collecting or c US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S76	9	S44 and ((start or starting or started) with ((collect or collecting or collected) near2 US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S77	183	S44 and (simulation with (graphical or textual or "data flow" or "time based" or "ev US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S78	150	S44 and ((MATLAB or JAVA or "c++" or "object oriented" or programming) with sin US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S79	486	S44 and ((display or displaying or displayed) with (textual or graphical or "multi-din US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S80	230	S48 or S49 or S51 or S52 or S54 or S55 or S56 or S57 or S60 or S61 or S62 or S US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S81	1428	S46 or S47 or S50 or S53 or S58 or S59 or S65 or S73 or S74 or S77 or S78 or S US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S82	370	S45 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S83	79	S80 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S84	230	S80 or S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S85	2		20050033561 US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S86	5391	"dynamic system" or (process near2 "control system") or "control system") with (s US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S87	696	S86 and (system near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S88	236	S86 and (data near2 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S89	554	S86 and (collect or collecting or collected) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S90	43	S86 and (collect or collecting or collected) with module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S91	26	S86 and (((collect or collecting or collected) near2 data) with (synchronize or synch US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S92	609	S86 and ((display or displaying or displayed) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S93	2	S86 and (((display or displaying or displayed) near2 data) with (freeze or freezed o US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S94	15	S86 and ((display or displaying or displayed) with (freeze or freezed or freezing)) US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

S95	160	S86 and (user with (view or viewed or viewing) with display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S96	91	S86 and (user with (manipulate or manipulated or manipulating or manipulation) w	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S97	1	S86 and ((suspend or suspending or suspended) with ((collect or collecting or colle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S98	3	S86 and ((suspend or suspending or suspended) with (collect or collecting or colle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S99	38	S86 and (communicate or communicating or communicated) with data with modu	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S100	134	S86 and ((review or reviewing or reviewed) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S101	270	S86 and (data with history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S102	7	S86 and (data with history with (parameter or variable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S103	1	S86 and (data with history with amount)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S104	1	S86 and (data with history with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S105	5	S86 and (memory near2 allocated with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S106	5	S86 and ((memory near2 allocated) with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S107	860	S86 and (data near2 (type or attribute or format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S108	18	S86 and (circular or finite) near2 (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S109	2	S86 and (extension with (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S110	1	S86 and (data near2 (buffer or buffering or buffered) near2 mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S111	1	S86 and (((collect or collecting or collected) near2 data) with (scroll or scrolling or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S112	44	S86 and (data with (scroll or scrolling or scrolled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S113	5	S86 and ((track or tracking or tracked or display or displaying or displayed) with (ti	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S114	1193	S86 and ((track or tracking or tracked or display or displaying or displayed) with tin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S115	269	S87 and S114	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S116	109	S86 and ((broadcast or broadcasting or broadcasted) with (data or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S117	10	S86 and ((trigger or triggering or triggered or event) with ((collect or collecting or c	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S118	10	S86 and ((start or starting or started) with ((collect or collecting or collected) near2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S119	227	S86 and (simulation with (graphical or textual or "data flow" or "time based" or "eve	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S120	176	S86 and (MATLAB or JAVA or "c++" or "object oriented" or programming) with sin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S121	538	S86 and ((display or displaying or displayed) with (textual or graphical or "multi-dir	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S122	262	S90 or S91 or S93 or S94 or S96 or S97 or S98 or S99 or S102 or S103 or S104 o	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S123	1553	S88 or S89 or S92 or S95 or S100 or S101 or S107 or S115 or S116 or S119 or S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S124	422	S87 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S125	90	S122 and S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S126	262	S122 or S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S127	26	S86 and (((collect or collecting or collected) near2 data) with (synchronize or sync	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S128	25	S126 and S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S129	3481	((collect or collecting or collected) near2 data) with (synchronize or synchronizing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S130	178	S129 and (system near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S131	70	S130 and (data near2 (module or function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S132	73	S130 and (simulation or simulate ot simulated or simulating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S133	65	S130 and ("dynamic system" or (process near2 "control system") or "control syste	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S134	133	S131 or S132 or S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S135	981	((collect or collecting or collected) near2 data) with (synchronize or synchronizing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S136	261	S135 and (data near2 (module or function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S137	178	S135 and (simulation or simulate ol simulated or simulating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S138	182	S135 and ("dynamic system" or (process near2 "control system") or "control syste	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S139	81	S136 and S138	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S140	5926	("dynamic system" or (process near2 "control system") or "control system") with (s	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S141	813	S140 and (system near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S142	257	S140 and (data near2 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S143	620	S140 and ((collect or collecting or collected) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S144	64	S140 and ((collect or collecting or collected) with module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

S145	27	S140 and (((collect or collecting or collected) near2 data) with (synchronize or syn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S146	679	S140 and ((display or displaying or displayed) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S147	2	S140 and (((display or displaying or displayed) near2 data) with (freeze or freezed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S148	16	S140 and ((display or displaying or displayed) with (freeze or freezed or freezing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S149	180	S140 and (user with (view or viewed or viewing) with display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S150	95	S140 and (user with (manipulate or manipulated or manipulating or manipulation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S151	1	S140 and ((suspend or suspending or suspended) with ((collect or collecting or co	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S152	3	S140 and ((suspend or suspending or suspended) with (collect or collecting or coll	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S153	43	S140 and ((communicate or communicating or communicated) with data with mod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S154	149	S140 and ((review or reviewing or reviewed) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S155	296	S140 and (data with history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S156	7	S140 and (data with history with (parameter or variable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S157	1	S140 and (data with history with amount)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S158	1	S140 and (data with history with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S159	8	S140 and (memory near2 allocated with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S160	8	S140 and ((memory near2 allocated) with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S161	945	S140 and (data near2 (type or attribute or format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S162	28	S140 and ((circular or finite) near2 (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S163	2	S140 and (extension with (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S164	1	S140 and (data near2 (buffer or buffering or buffered) near2 mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S165	1	S140 and (((collect or collecting or collected) near2 data) with (scroll or scrolling or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S166	48	S140 and (data with (scroll or scrolling or scrolled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S167	5	S140 and ((track or tracking or tracked or display or displaying or displayed) with (	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S168	1318	S140 and ((track or tracking or tracked or display or displaying or displayed) with t	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S169	312	S141 and S168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S170	118	S140 and (broadcast or broadcasting or broadcasted) with (data or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S171	14	S140 and ((trigger or triggering or triggered or event) with ((collect or collecting or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S172	11	S140 and ((start or starting or started) with ((collect or collecting or collected) near	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S173	272	S140 and (simulation with (graphical or textual or "data flow" or "time based" or "e	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S174	206	S140 and (MATLAB or JAVA or "c++" or "object oriented" or programming) with s	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S175	625	S140 and ((display or displaying or displayed) with (textual or graphical or "multi-d	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S176	309	S144 or S145 or S147 or S148 or S150 or S151 or S152 or S153 or S156 or S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S177	1771	S142 or S143 or S146 or S149 or S154 or S155 or S161 or S169 or S170 or S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S178	508	S141 and S177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S179	98	S176 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S180	309	S176 or S179	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S181	27	S180 and ((free near2 running) or ((independent or independently) near2 (execute	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S182	24	S180 and ((free near2 running) or ((independent or independently) near2 (execut	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S183	4	S180 and ((suspend or suspending or suspended or suspension or pause or paus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S184	9	S140 and ((suspend or suspending or suspended or suspension or pause or paus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S185	32	S140 and (((collect or collecting or collected) near2 data) with (synchronize or syn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S186	310	S180 or S185	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S187	32	S185 and S186	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S188	5926	"dynamic system" or (process near2 "control system") or "control system" with (s	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S189	813	S188 and (system near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S190	257	S188 and (data near2 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S191	620	S188 and ((collect or collecting or collected) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S192	64	S188 and ((collect or collecting or collected) with module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S193	27	S188 and (((collect or collecting or collected) near2 data) with (synchronize or syn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S194	679	S188 and ((display or displaying or displayed) near2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

S195	2	S188 and (((display or displaying or displayed) near2 data) with (freeze or freezed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S196	16	S188 and ((display or displaying or displayed) with (freeze or freezed or freezing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S197	180	S188 and (user with (view or viewed or viewing) with display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S198	95	S188 and (user with (manipulate or manipulated or manipulating or manipulation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S199	1	S188 and ((suspend or suspending or suspended) with ((collect or collecting or co	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S200	3	S188 and ((suspend or suspending or suspended) with (collect or collecting or col	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S201	43	S188 and ((communicate or communicating or communicated) with data with mod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S202	149	S188 and (review or reviewing or reviewed) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S203	296	S188 and (data with history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S204	7	S188 and (data with history with (parameter or variable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S205	1	S188 and (data with history with amount)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S206	1	S188 and (data with history with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S207	8	S188 and (memory near2 allocated with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S208	8	S188 and ((memory near2 allocated) with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S209	945	S188 and (data near2 (type or attribute or format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S210	28	S188 and ((circular or finite) near2 (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S211	2	S188 and (extension with (buffer or buffering or buffered))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S212	1	S188 and (data near2 (buffer or buffering or buffered) near2 mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S213	1	S188 and (((collect or collecting or collected) near2 data) with (scroll or scrolling or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S214	48	S188 and (data with (scroll or scrolling or scrolled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S215	5	S188 and ((track or tracking or tracked or display or displaying or displayed) with (	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S216	1318	S188 and ((track or tracking or tracked or display or displaying or displayed) with t	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S217	312	S189 and S216	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S218	118	S188 and (broadcast or broadcasting or broadcasted) with (data or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S219	14	S188 and (trigger or triggering or triggered or event) with ((collect or collecting or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S220	11	S188 and (start or starting or started) with ((collect or collecting or collected) near	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S221	272	S188 and (simulation with (graphical or textual or "data flow" or "time based" or "e	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S222	206	S188 and (MATLAB or JAVA or "c++" or "object oriented" or programming) with s	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S223	625	S188 and (display or displaying or displayed) with (textual or graphical or "multi-d	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S224	309	S192 or S193 or S195 or S196 or S198 or S199 or S200 or S201 or S204 or S205	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S225	1771	S190 or S191 or S194 or S197 or S202 or S203 or S209 or S217 or S218 or S221	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S226	508	S189 and S225	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S227	98	S224 and S226	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S228	309	S224 or S227	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S229	32	S188 and (((collect or collecting or collected) near2 data) with (synchronize or syn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S230	310	S228 or S229	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S231	32	S229 and S230	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S232	27	S228 and ((free near2 running) or ((independent or independently) near2 (execute	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S233	1	S231 and S232	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S234	16	S230 and S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S235	1	S188 and (review or reviewing or reviewed) with ((collect or collecting or collected	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S236	2	S188 and (((display or displaying or displayed) with (freeze or freezed or freezing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S237	72	S230 and ((trigger or triggering or triggered) near2 event)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S238	0	S230 and ((stop or stopping or stopped) near2 event)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S239	2	S230 and ((stop or stopping or stopped) near2 condition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S240	3	S188 and (((collect or collecting or collected) near2 data) with (stop or stopping or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S241	4	S188 and (((collect or collecting or collected or collection) near2 data) with (stop o	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
S242	4	S230 and (((trigger or triggering or triggered) near2 event) same (collect or collecti	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB